



NOTICE OF REVIEW APDES Proposed Final Permit

Alaska Department of Environmental Conservation (ADEC)
Wastewater Discharge Authorization Program
555 Cordova Street
Anchorage, Alaska 99501

NOTICE OF REVIEW OF AN ALASKA POLLUTANT DISCHARGE ELIMINATION SYSTEM (APDES) PROPOSED FINAL PERMIT TO DISCHARGE TO WATERS OF THE UNITED STATES

Following the close of a 30-day public notice period, ADEC has prepared an APDES proposed final permit for Agrium Kenai Nitrogen Operations. Prior to making the final decision to issue the permit, ADEC invites you to view the proposed final permit and associated documents. You can access the proposed final permit and associated documents at ADEC's Wastewater Discharge Authorization Program web page at:

<http://www.dec.state.ak.us/water/wwdp/index.htm>

Proposed Final Permit Review

Start Date: May 12, 2017

End Date: May 19, 2017 5:00 PM AKST

Permit No.: AK0000507

Proposed Permit:

The Agrium Kenai Nitrogen Operations operates a nitrogen fertilizer manufacturing and export facility. The treated wastewater from the facility is proposed to be discharged to the Cook Inlet at 60.67151211 North by 151.39174974 West. The average discharge volume is 0.870 million gallons per day. A chronic mixing zone is authorized for: ammonia, total residual chlorine (TRC), pH, temperature, and whole effluent toxicity. An acute mixing zone is authorized for ammonia and TRC.

Determination:

The ADEC has determined to reissue the above listed permit.

ADEC Contact:

Mike Martz

Alaska Department of Environmental Conservation
Division of Water

Wastewater Discharge Authorization Program
555 Cordova Street
Anchorage, AK 99501
(907) 269-8198
Fax: (907) 334-2415
michael.martz@alaska.gov

Administrative Record:

The APDES preliminary draft permit, fact sheet, and associated documents are available for public review at the ADEC offices located in Anchorage, Fairbanks, Juneau, Soldotna, and Wasilla. Please contact the office of your choice to arrange for hard copies of the documents to be available for your review.

555 Cordova Street
Anchorage, AK 99501
907-269-6285

610 University Avenue
Fairbanks, AK 99709
907-451-2100

410 Willoughby Ave #303
Juneau, AK 99811
907-465-5300

43335 Kalifornsky Beach Road
Soldotna, AK 99615
907-262-5210

1700 E Bogard Road #B
Suite #103
Wasilla, AK 99654
907-376-1850

The documents are also accessible from the ADEC website at:
<http://www.dec.state.ak.us/water/wwdp/index.htm>

Disability Reasonable Accommodation Notice

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a special accommodation in order to participate in this public review, please contact Natalie Wolfe at (907) 269-0291 or TDD Relay Service 1-800-770-8973/TTY or dial 711 within 5 days of publication of this notice to ensure that any necessary accommodations can be provided.